Module 1: Introduction

- What is an operating system?
- Simple Batch Systems
- Multiprogramming Batched Systems
- Time-Sharing Systems
- Personal-Computer Systems
- Parallel Systems
- Distributed Systems
- Real -Time Systems


What is an Operating System?

- A program that acts as an intermediary between a user of a computer and the computer hardware.
- Operating system goals:
 - Execute user programs and make solving user problems easier.
 - Make the computer system convenient to use.
- Use the computer hardware in an efficient manner.

Computer System Components

- 1. Hardware provides basic computing resources (CPU, memory, I/O devices).
- 2. Operating system controls and coordinates the use of the hardware among the various application programs for the various users.
- 3. Applications programs define the ways in which the system resources are used to solve the computing problems of the users (compilers, database systems, video games, business programs).
- 4. Users (people, machines, other computers).

Abstract View of System Components



Operating System Definitions

- Resource allocator manages and allocates resources.
- Control program controls the execution of user programs and operations of I/O devices.
- Kernel the one program running at all times (all else being application programs).


Memory Layout for a Simple Batch System

operating system

user program area

Multiprogrammed Batch Systems

Several jobs are kept in main memory at the same time, and the CPU is multiplexed among them.



OS Features Needed for Multiprogramming

- I/O routine supplied by the system.
- Memory management the system must allocate the memory to several jobs.
- CPU scheduling the system must choose among several jobs ready to run.
- Allocation of devices.


Time-Sharing Systems-Interactive Computing

- The CPU is multiplexed among several jobs that are kept in memory and on disk (the CPU is allocated to a job only if the job is in memory).
- A job is swapped in and out of memory to the disk.
- On-line communication between the user and the system is provided; when the operating system finishes the execution of one command, it seeks the next "control statement" not from a card reader, but rather from the user's keyboard.
- On-line system must be available for users to access data and code.

Personal-Computer Systems

- Personal computers computer system dedicated to a single user.
- I/O devices keyboards, mice, display screens, small printers.
- User convenience and responsiveness.
- Can adopt technology developed for larger operating system' often individuals have sole use of computer and do not need advanced CPU utilization of protection features.

Migration of Operating-System Concepts and Features




Parallel Systems

- Multiprocessor systems with more than one CPU in close communication.
- *Tightly coupled system* processors share memory and a clock; communication usually takes place through the shared memory.
- Advantages of parallel system:
 - Increased throughput
 - Economical
 - Increased reliability
 - * graceful degradation
 - * fail-soft systems

Parallel Systems (Cont.)

- Symmetric multiprocessing (SMP)
 - Each processor runs an identical copy of the operating system.
 - Many processes can run at once without performance deterioration.
 - Most modern operating systems support SMP
- Asymmetric multiprocessing
 - Each processor is assigned a specific task; master processor schedules and allocates work to slave processors.
 - More common in extremely large systems

Symmetric Multiprocessing Architecture



Real-Time Systems

- Often used as a control device in a dedicated application such as controlling scientific experiments, medical imaging systems, industrial control systems, and some display systems.
- Well-defined fixed-time constraints.
- Hard real-time system.
 - Secondary storage limited or absent, data stored in shortterm memory, or read-only memory (ROM)
 - Conflicts with time-sharing systems, not supported by general-purpose operating systems.
- Soft real-time system
 - Limited utility in industrial control or robotics
 - Useful in applications (multimedia, virtual reality) requiring advanced operating-system features.

Distributed Systems

- Distribute the computation among several physical processors.
- Loosely coupled system each processor has its own local memory; processors communicate with one another through various communications lines, such as high-speed buses or telephone lines.
- Advantages of distributed systems.
 - Resources Sharing
 - Computation speed up load sharing
 - Reliability
 - Communications



